


PROLINE

PROBOX & PROSHELF

WALL NICHE AND SHELVES READY FOR MOUNTING



Wall niches with
optional smart home
features





PROBOX & PROSHELF

STORAGE SHELVES FOR BATH & CO.

The only wall niche and storage system pre-assembled in the factory, with already integrated tiling profiles and seals.

Bathrooms and kitchens are spaces lending themselves to familiar routines. While some like a specific and consistent morning routine in the bathroom, to get ready for a successful new day in a focussed and calm manner; for others it is important to finish their day in an orderly and structured way and prepare for the next day. Order plays an important part for each conscious or subconscious routine. And with a bit of organisation, you achieve great satisfaction. Nothing is more annoying than disorder and chaos.

For everything in your bathroom being close to hand and well organised, we at PROLINE have developed the wall niche PROBOX as well as different versions of the shelf PROSHELF. Whether it is for new builds, renovations or refurbishments: We provide you with universal solutions in different shapes and sizes for every room, every ceramic, natural stone as well as all thinkable situations. Still cannot find something that fits? No problem: We will be pleased to produce your desired configuration to the millimetre from lot size 1, and that is a promise.

PROBOX and PROSHELF – designed for your love of order!

PROBOX wall niches

- **Area of application: New builds and renovations**
- **Completely ready for installation at the building site**
- **Can be tiled directly on bonding agent**
- **Perfect end result due to pre-assembly in the factory**
- **Optical homogeneity between tiling and niche profile**
- **Significant time saving, as profiles and corner elements are already factory assembled**
- **Therefore suitable for large builds with many units**
- **System concept: Profiles matching the PROLINE collection**

PROSHELF shelves

- **Areas of use: New builds and renovations**
- **Also for subsequent installation**
- **Different forms of storage: triangle, rectangle, trapeze & diamond**
- **Optical homogeneity between tiling and PROSHELF profile**
- **Can be tiled directly on bonding agent**
- **Simple to process**
- **System concept: Profiles matching the PROLINE collection**

PROBOX wall niches

THE ADVANTAGES AT A GLANCE



4 standard sizes



2 profile variants: round-edged or square profile



5 different profile heights: 6, 8, 10, 11 and 12.5 mm
3 stainless steel surfaces: brilliant, brushed, chrome-plated



Suitable for damp and wet areas*




Glass or acrylic glass bottom with wireless charging



LED warm-white with diffuser screen
WiFi LED RGB with diffuser screen

This is what makes PROBOX so special



PROSHELF shelves

THE ADVANTAGES AT A GLANCE



4 different shapes



2 profile variants*: round-edged or square profile



4 different profile heights** 8, 10, 11 and 12.5 mm




3 stainless steel surfaces: brilliant, brushed, chrome-plated

* PROSHELF rectangle, trapeze and diamond are equipped with PRODECOR Q.

** PROSHELF rectangle, trapeze and diamond are available in 3 profile heights (8, 10, 11 mm), other heights possible on request.

This is what makes PROSHELF so special



1.

Wireless charger

Each PROBOX can be equipped with a wireless charger. It is integrated in a base made of glass or acrylic glass. The inductive charging process is started by simple placing of your compatible smartphone.

2.

LED strip

We have two different LED strips: LED warm-white and WiFi LED RGB. Control the lighting effect in your PROBOX by means of remote control, app, Google Home, Alexa & co. As for the wireless charger, assuming a 220 V electrical connection (socket) was installed in the wall.

3.

Profile bonding

Every tile profile from the PROLINE product range can be installed in your PROBOX, in stainless steel as well as aluminium, with 8 mm or 12.5 mm profile strength. This makes your individual PROBOX suited to almost any tile strength. Is installed by default with decorative profiles PROROUND or PRODECOR Q.

4.

Finishing

We can produce your optional extras on request. You can choose from all tile profiles (PROROUND and PRODECOR Q) from the PROLINE range and define your individual configuration.



PROBOX – more than just a wall niche

CHARGING STATION FOR SMARTPHONE & ILLUMINATED SCENE-SETTING



1.**Subsequent installation**

PROSHELF is available as two installation variants: for tiling in during new laying of tiles or for installation in an existing tiled surface (joint). For this purpose, the joint must first be opened with a suitable tool (e.g. angle grinder).

**2.****Profile similarity**

PROSHELF as well as PROBOX are available as design combination with the tile profiles of the PROLINE range. This means you can use the same profile with regard to height, material and surface look for example in front-wall installations as well as niches or shelves.

**3.****Tilability**

Due to the integrated bonding agent, each PROSHELF can be designed with your desired tile after wall assembly.

**4.****Design**

The practical aspect aside, naturally shelves provide a lot of room for design ideas. PROSHELF is always eye-catching with accentuated tiles or to make room for decorative elements.

PROSHELF – space creator in many shapes

TRIANGLE, RECTANGLE, TRAPEZE & DIAMOND SHAPES



TIP


All boxes can be installed horizontally, but also vertically.



TIP

Mosaic tiles or mirrors turn the boxes into a design object.





Living in the Box


EXAMPLES FOR IMPLEMENTATION & DESIGN OPPORTUNITIES



TIP
We will be pleased to design your box or shelf with tile profiles in different anodised colours or structural designs.



PROBOX product overview



PROBOX with PRODECOR Q*


Stainless steel (V2A): brilliant, brushed, chrome-plated, mounting depth 110 mm

Main body (H x W) 30 x 15 cm | Visible dimensions VH 298 x VW 148 mm

Main body (H x W) 30 x 30 cm | Visible dimensions VH 298 x VW 298 mm

Main body (H x W) 30 x 45 cm | Visible dimensions VH 298 x VW 448 mm

Main body (H x W) 30 x 60 cm | Visible dimensions VH 298 x VW 598 mm



PROBOX with PROROUND*

Stainless steel (V2A): brilliant, brushed, chrome-plated, mounting depth 110 mm

Main body (H x W) 30 x 15 cm | Visible dimensions VH 298 x VW 148 mm


Main body (H x W) 30 x 30 cm | Visible dimensions VH 298 x VW 298 mm

Main body (H x W) 30 x 45 cm | Visible dimensions VH 298 x VW 448 mm

Main body (H x W) 30 x 60 cm | Visible dimensions VH 298 x VW 598 mm


*Delivery time approx. 10 working days from receipt of order.

Optional extras



Glass bottom with wireless charging Acrylic glass with wireless charging


Cream white and Anthracite
Length: 61–120 cm



LED warm-white with diffuser screen WiFi LED RGB with diffuser screen

Length: matching the installation situation

Individual sizes and other profile materials/
surfaces possible on request.



PROBOX special dimensions for your planning*

Stainless steel (V2A): brilliant, brushed, chrome-plated





Mounting depth: 110 mm

- Main body (H × W) 30 × 61–70 cm
- Main body (H × W) 30 × 71–80 cm
- Main body (H × W) 30 × 81–90 cm
- Main body (H × W) 30 × 91–100 cm
- Main body (H × W) 30 × 101–110 cm
- Main body (H × W) 30 × 111–120 cm

Mounting depth: 180 mm

- Main body (H × W) 30 × 61–70 cm
- Main body (H × W) 30 × 71–80 cm
- Main body (H × W) 30 × 81–90 cm
- Main body (H × W) 30 × 91–100 cm
- Main body (H × W) 30 × 101–110 cm
- Main body (H × W) 30 × 111–120 cm

PROSHELF product overview







PROSHELF with PRODECOR Q

Stainless steel (V2A): brilliant, brushed, chrome-plated
Visible widths (VW) 290 mm and 400 mm

PROSHELF with PROROUND

Stainless steel (V2A): brilliant, brushed, chrome-plated
Visible widths (VW) 290 mm and 400 mm





PROSHELF RN with PRODECOR Q

RN = rectangular shape for subsequent installation
Stainless steel (V2A): brilliant, brushed, chrome-plated
Format: 400 x 130 mm

PROSHELF R with PRODECOR Q

R = rectangular shape for tiling in
Stainless steel (V2A): brilliant, brushed, chrome-plated
Format: 400 x 130 mm






PROSHELF TN with PRODECOR Q

TN = trapeze shape for subsequent installation
 Stainless steel (V2A): brilliant, brushed, chrome-plated
 Format: 525 x 140 mm

PROSHELF T with PRODECOR Q

T = trapeze shape for tiling in
 Stainless steel (V2A): brilliant, brushed, chrome-plated
 Format: 525 x 140 mm



PROSHELF DN with PRODECOR Q

DN = diamond shape for subsequent installation
 Stainless steel (V2A): brilliant, brushed, chrome-plated
 Format: 200 x 140 mm


PROSHELF D with PRODECOR Q

D = diamond shape for tiling in
 Stainless steel (V2A): brilliant, brushed, chrome-plated
 Format: 200 x 140 mm

PROBOX assembly

STEP BY STEP

Installation



All PROBOX models are factory-fitted with a pre-installed sealing collar.*



Create the wall niche once tiling has been arranged and the dimensions of the PROBOX in unfinished state have been considered.



Fit the PROBOX into the niche



Wedge in the PROBOX with suitable material, measure and align.



Fix and attach optionally with tile adhesive or bonding foam.



Once the fixed points have hardened, backfill and trowel off the assembly space.



Measure the PROBOX soffits, shelf and cover as well as back wall and lay the tiles.



Then grout and complete the silicone work in the corners.

Please find more detailed information in our technical data sheet and in our assembly instructions



Your individually designed PROBOX wall niche is ready to use once installation is complete.

*To show the assembly more clearly, the sealing collar can only be seen in the first picture.

PROSHELF assembly

STEP BY STEP

Subsequent installation



Remove the joint with a suitable tool (e.g. angle grinder) and clean.



Apply OTTOCOLL M500 hybrid adhesive and sealant to the cleaned joint gap.



Place the PROSHELF in the joint gap that has been filled with adhesive (slight gradient forward recommended).



Apply OTTOCOLL M 500 or tile adhesive to the area of the PROSHELF to be tiled. Then place the tiles that have already been cut to size.




Seal the newly created joints with permanently elastic and neutrally interconnecting silicone.



Strip and smooth the silicone joints using a suitable joint smoother.



Your individually designed shower shelf is ready to use once it has hardened.



Installation during tiling



When laying the wall tile, the PROSHELF shelf can be installed immediately.



Remove excess tile adhesive in the installation area. Push the PROSHELF with the bottom side surfaces behind the tiling.



Continue with laying the wall tiles. Rework the whole side surface at the top with tile adhesive.



Cut the tiling to size and stick it on. Grout and insert the silicone joint once dried.



And the PROSHELF is now ready.

Please find more detailed information in our technical data sheet and in our assembly instructions



Subscribe to us on YouTube and stay up to date!



Subscribe
to our
Newsletter
now



Tiling: Marazzi range SistemN - www.marazzi.de

Proline Systems GmbH

Kratzenburger Landstr. 11-15

56154 Boppard – Germany

Phone +49 (0) 67 42/80 16-0

E-mail info@proline-systems.com

Internet www.proline-systems.com

Follow us on:

