

Safety Data Sheet

According to Regulation (EC) No. 1907/2006

PROFIX DS 2-komponentige Dichtschlämme Komponente A

Revision date: 15.01.2016

Print date: 15.01.2016 Page 1 of 6

1. Identification of the substance/mixture and of the company/undertaking

1.1. Trade name PROFIX DS 2-komponentige Dichtschlämme, Komponente A

/Product identifier:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Construction chemistry

1.3. Details of the supplier of the safety data sheet:

Company name Proline Systems GmbH

Street Kratzenburger Landstraße 11-15

Place D-56154 Boppard Telefax: +49-6742-801640

Telephone +49-6742-80160

Contact person Abt. Produkttechnik Tel.: +49-6742-80160 At opening

hours

Internet www.proline-systems.com

Emergency telephone See: company name

number: or next gift info:

e.g.:. Berlin Tel.:+49-30-19240 Bonn Tel.: +49-228-19240

2. Hazards identification

2.1. Classification of the substance or mixture:

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 3

technik@proline-systems.com

Hazard statements:

Causes skin irritation.
Causes serious eye damage
May cause respiratory irritation

2.2. Label elements:

e-mail

1.4.

Hazardous components which must be listed on the label:

PZ-Zement

Signal word: Danger

Pictograms:



Hazard statements:

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

Precautionary statements:

P302+P352 IF ON SKIN: Wash with plenty of water.
P271 Use only outdoors or in a well-ventilated area

Version: 1.2

Product PROFIX DS 2-komponentige Dichtschlämme Komponente A Print date: 15.01.2016 page 2 of 6

identifyer:

Supplier: Proline Systems GmbH, Kratzenburger Landstraße 11-15, D-56154 Boppard

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

2.3. Other hazards

No information available

3. Composition/information on ingredients

3.2. Mixtures:

Chemical characterization:

Mixture of cement, mineral filler and additives.

Hazardous components: Classification according to Regulation (EC) No. 1272/2008 [CLP]

CAS-No.	Chemical name	EC-No.	Quantity
65 997-15-1	PZ-Zement	266-043-4	10 -< 15%

Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335

Full text of H and EUH phrases: see section 16

4. First aid measures

4.1. Description of first aid measures:

After inhalation:..

Provide fresh air. Medical treatment necessary.

After contact with skin:

Wash with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion:

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed:

No information available.

4.3. Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

5. Firefighting measures

5.1. Extinguishing media:

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture:

Non flammable.

5.3. Advice for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Product PROFIX DS 2-komponentige Dichtschlämme Komponente A Print date: 15.01.2016 page 3 of 6

identifyer:

Supplier: Proline Systems GmbH, Kratzenburger Landstraße 11-15, D-56154 Boppard

Additional information:

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions:

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up:

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections:

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

7. Handlind and storage

7.1. Precautions for safe handling:

Advice on safe handling:

Avoid generation of dust. Do not breathe dust. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities:

Requirements for storage rooms and vessels:

Provide adequate ventilation as well as local exhaustion at critical locations.

Advice on storage compatibility:

No special measures are necessary.

Further information on storage conditions:

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

7.3. Specific end use(s)

Construction chemistry

8. Exposure controls/personal protection

8.1. Control parameters:

8.2. Exposure controls:

Appropriate engineering controls:

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures:

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection:

Suitable eye protection: goggles.

Hand protection:

If skin contact is prolonged protective gloves must be worn.

e.g. nitrile coated cotton gloves

Skin protection:

In case of inadequate ventilation wear respiratory protection

Product PROFIX DS 2-komponentige Dichtschlämme Komponente A Print date: 15.01.2016 page 4 of 6

identifyer:

Supplier: Proline Systems GmbH, Kratzenburger Landstraße 11-15, D-56154 Boppard

Respiratory protection

In case of inadequate ventilation wear respiratory protection

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties:

Physical state: solid Colour: grey

Odour: characteristic

pH-Value (at 20°C): 12 – 13, wässrige Suspension

Changes in the physical state:

Initial boiling point and boiling range:

Melting point:

Not determined

Not determined

Not applicable

Flammability:

Solid: Not determined
Gas: Not applicable
Lower explosion limits: Not determined
Upper explosion limits: Not determined

Auto-ignition temperature:

Solid: Not determined
Gas: Not applicable
Decomposition temperature: Not determined

Oxidizing properties:

Not oxidizing

Vapour pressure: Not determined

Density: Not determined

Water solubility (at 20^o C): < 2 g/l

Solubility in other solvents:Not determinedPartition coefficient::Not determinedVapour density:Not determinedEvaporation rate:Not determined

9.2. Other information:

Solid content: Not determined

10. Stability and reactivity

10.1. Reactivity:

No hazardous reaction when handled and stored according to provisions

10.2. Chemical stability:

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions:

No known hazardous reactions.

10.4. Conditions to avoid:

The mixture is chemically stable under recommended conditions of storage, use and temperature

10.5. Incompatible materials

No information available.

Product PROFIX DS 2-komponentige Dichtschlämme Komponente A Print date: 15.01.2016 page 5 of 6

identifyer:

Supplier: Proline Systems GmbH, Kratzenburger Landstraße 11-15, D-56154 Boppard

10.6. Hazardous decomposition products:

No known hazardous decomposition products.

11. Toxicological information

11.1. Information on toxicological effects:

Additional information on tests:

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]

12. Ecological information

12.1. Toxicity:

The product is not: Ecotoxic.

12.2. Persistence and degradability:

The product has not been tested.

12.3. Bioaccumulative potential:

The product has not been tested.

12.4. Mobility in soil:

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects:

No information available.

Further information:

Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods:

Advice on disposal:

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

010410 WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND

PHYSICAL AND CHEMICAL TREATMENT OF MINERALS; wastes from physical and chemical processing of non-metalliferous minerals; dusty and powdery wastes other

than those mentioned in 01 04 07

Contaminated packaging:

Wash with plenty of water. Completely emptied packages can be recycled. Completely emptied packages can be recycled.

14. Transport information

Land transport (ADR/RID)

14.1. UN-Number: No dangerous good in sense of this transport regulation
 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation
 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation
 14.4. Packing group: No dangerous good in sense of this transport regulation

14.5. Environmental hazards:

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user: No dangerous good in sense of this transport regulation
 14.7. Transport in bulk according to Annex II No dangerous good in sense of this transport regulation

of MARPOL73/78 and the IBC Code

Product PROFIX DS 2-komponentige Dichtschlämme Komponente A Print date: 15.01.2016 page 6 of 6

identifyer:

Supplier: Proline Systems GmbH, Kratzenburger Landstraße 11-15, D-56154 Boppard

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information:

Additional information:

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information:

Employment restrictions: Observe employment restrictions for young people

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment:

Chemical safety assessments for substances in this mixture were not carried out

16. Other information

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H- and EUH-phrases (Number and full text):

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Further information:

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Version: 1.2.